NSN 3020-01-129-4695

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-129-4695

Body Style: Plain, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 1.1458 inches **Teeth Quantity:** 55 **Bore Style:** Plain first end Mounting Hole Thread Series Designator: Unf axially through body, second end **Mounting Hole Thread Size:** 0.112 inches axially through body, second end Mounting Hole Type And Quantity: 2 threaded axially through body, second end **Outside Diameter:** 1.187 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.156 inches first end Face Width: 0.110 inches **Bore Diameter:** 0.690 inches first end Hub Style Designator: Plain first end **Hub Diameter:** 0.094 inches first end **Precision Classification:** Quality number 9 Mounting Hole Diameter: 0.094 inches axially through hub, first end Material: Steel comp 303 **Material Specification:** Astm a582 assn standard single material response Surface Treatment: Passivate

NSN 3020-01-129-4695

Spur Gear - Page 2 of 2



Surface Treatment Specification:

Mil-std-171 fn 5.4.1 a b c military standard single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.