## NSN 3020-01-137-1016

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-137-1016

| Outside Diameter:                                 |
|---|
| 7.586 inches                                      |
| Overall Length:                                   |
| 2.000 inches                                      |
| Keyway Width:                                     |
| 0.750 inches                                      |
| Bore Diameter:                                    |
| 3.250 inches                                      |
| Bore Length:                                      |
| 2.000 inches                                      |
| Distance From Center Of Bore To Bottom Of Keyway: |
| 1.875 inches                                      |
| Pitch Diameter:                                   |
| 7.175 inches                                      |
| Face Width:                                       |
| 0.459 inches                                      |
| Design Form:                                      |
| Plain   |
| Bore Type:  |
| Straight  |
| Metallic Hardness Rating And Location:            |
| 40.0 rockwell c body and 50.0 rockwell c body     |
| Counterbore Feature:                              |
| Not included                                      |
| Keying Facility:                                  |
| Included  |
| Keying Facility Type:                             |
| Keyway  |
| Lightening Hole:                                  |
| Not included                                      |
| Protruding Hub Characteristic:                    |
| Plain   |
| Belt/chain/film Size For Which Designed:          |
| Roller chain                                      |
| Roller Chain Pitch Type For Which Designed:       |
| Single pitch                                      |
| Teeth Row Quantity:                               |
| 1   |
| Teeth Quantity Per Row:                           |
| 30  |
| Hardness Rating Test Method:                      |

Rockwell

## **NSN 3020-01-137-1016** Sprocket Wheel - Page 2 of 2



| Teeth Hardness Rating:                                    |
|---|
| Between 40.0 rockwell c and 50.0 rockwell c               |
| Bore Bearing:   |
| Not included  |
| Hub External Keyway:                                      |
| Not included  |
| Tooth Pitch:  |
| 0.750 inches  |
| Hub End Outside Diameter And Location:                    |
| 5.000 inches both ends                                    |
| Distance From Outside Flange/rim To Hub End And Location: |
| 1.390 inches aa end and 0.151 inches bb end               |
| Material:   |
| Steel, aisi 1137  |
| Material:   |
| Steel comp 1137   |
| Material Specification:                                   |
| Aisi 1137 assn standard single material response          |
| Quantity:   |
| 1   |
| Style Designator:   |
| Plain   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| Т353-с  |
|   |
|   |