## NSN 3020-01-139-2435

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-139-2435

**Body Style:** 

Webbed, solid

Spline Quantity:

64 both ends

## **Attachment Method:**

Mounting hole

## **Pitch Diameter:**

8.4894 inches

## **Teeth Quantity:**

42

## Bore Style:

Involute spline both ends

#### Spline Pitch Diameter:

4.0000 inches both ends

#### Mounting Hole Thread Series Designator:

Unf axially through body, first end

#### Hardness Rating:

42.0 rockwell c teeth and 28.0 rockwell c teeth

## Mounting Hole Thread Size:

0.312 inches axially through body, first end

## Mounting Hole Type And Quantity:

6 threaded axially through body, first end

**Outside Diameter:** 

8.793 inches

## Tooth Form:

Standard

## Pressure Angle:

25.0000 degrees

## Distance Between Body Face And Protruding Hub End:

0.370 inches first end

## Face Width:

1.130 inches

#### Bore Diameter:

4.000 inches both ends

#### Hub Style Designator:

Plain first end

#### Hub Diameter:

4.906 inches first end

## **Bolt Hole Circle Diameter:**

4.875 inches axially through body, first end

## Material:

Steel

# NSN 3020-01-139-2435

Spur Gear - Page 2 of 2

Style Designator:

One protruding hub, one flush hub

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

