## NSN 3020-01-147-4612



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-147-4612 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.5835 inches **Teeth Quantity:** 38 **Bore Style:** Plain both ends **Backlash Designation:** Grade e **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 1.662 inches Nominallength: 0.4060 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.226 inches first end **Face Width:** 0.1800 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.563 inches first end **Precision Classification:** 

Material:

Steel comp 302

Quality number 12

## NSN 3020-01-147-4612

Spur Gear - Page 2 of 2



Material Specificati	on:
----------------------	-----

Qq-s-763 federal specification single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300