

View Online at <https://aerobasegroup.com/nsn/3020-01-148-2950>

Groove Depth:

10.4 millimeters and 10.4 millimeters and 14.0 millimeters

Groove Width:

9.6 millimeters and 9.6 millimeters and 12.7 millimeters

Overall Length:

69.7 millimeters

Bolt Circle Diameter:

53.9 millimeters

Bore Diameter:

19.0 millimeters

Bore Length:

3.2 millimeters

Drilled Hole Diameter:

11.8 millimeters

V Groove Angle In Deg:

36.0 and 36.0 and 36.0

Securing Hole Quantity:

4

Face Type:

Step groove

Material And Location:

Steel, sae 1008

Face Width:

21.0 millimeters and 30.9 millimeters

Design Form:

Webbed

Bore Type:

Straight

Groove Quantity:

3

Counterbore Feature:

Not included

Step Outside Diameter:

159.2 millimeters and 139.2 millimeters

Hole Location:

Thru pulley surface

Keying Facility:

Not included

Securing Method:

Drilled hole

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Standard V-belt Section Designation For Which Designed:

Any acceptable and any acceptable and any acceptable

Securing Location:

Aa end

Bore Bearing:

Not included

Distance From Outside Flange/rim To Hub End And Location:

16.0 millimeters aa end and 66.5 millimeters bb end

V Groove Pitch Diameter:

133.4 millimeters and 133.4 millimeters and 151.8 millimeters

Surface Treatment:

Phosphate

Style Designator:

Webbed or spoked

Surface Treatment:

Phosphate

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-b