## NSN 3020-01-151-2645



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-151-2645 **Body Style:** Plain, solid **Spline Quantity:** 30 both ends **Attachment Method:** Mounting hole Pitch Diameter: 3.2500 inches **Teeth Quantity:** 30 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 1.8750 inches both ends **Features Provided:** Casehardened **Mounting Hole Type And Quantity:** 2 plain transversely through hub, first end **Outside Diameter:** 3.500 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 2.109 inches first end **Face Width:** 2.109 inches **Bore Diameter:** 1.938 inches both ends **Hub Style Designator:** 1 step first end **End Length:** 2.813 inches first end 2.750 inches first end

**End Diameter:** 

First Step Length:

0.344 inches first end

First Step Diameter:

1.766 inches first end

**Mounting Hole Diameter:** 

0.188 inches transversely through hub, first end

## NSN 3020-01-151-2645

Spur Gear - Page 2 of 2



_		
S'n	ACIA	Features:
JU	CUIA	i caluics.

Mtc	holes angular drilled:	ctrbore 1st end 2.078 in.	Diameter by 1.078 in.	Depth, ctrbore 2nd end	2.140 in. Diameter by (	0.500 in. Depth

Material:

Steel

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300