NSN 3020-01-161-7709

Bevel Gear - Page 1 of 2

Body Style: Plain, solid

Mounting hole

Pitch Diameter:

Attachment Method:



View Online at https://aerobasegroup.com/nsn/3020-01-161-7709

92.0 millimeters								
Teeth Quantity:								
23								
Bore Style:								
10b w/ 2 keyways both ends								
Hardness Rating:								
59.0 rockwell c and 62.0 rockwell c								
Mounting Hole Type And Quantity:								
2 plain axially through body, first end								
Outside Diameter:								
97.6 millimeters								
Nominallength:								
49.3 millimeters								
Teeth Type:								
Straight								
Pressure Angle:								
20.0000 degrees								
Pitch Angle:								
45.0000 degrees								
Distance Between Body Face And Protruding Hub End:								
31.8 millimeters first end								
Body Recess Depth:								
3.3 millimeters second end								
Face Width:								
28.0 millimeters								
Bore Diameter:								
26.0 millimeters both ends								
Keyway Width:								
8.0 millimeters both ends								
Distance From Bore Center To Keyway Bottom:								
15.1 millimeters both ends								
Hub Style Designator:								
Plain first end								
Hub Diameter:								
45.0 millimeters first end								
Mounting Hole Diameter:								
6.5 millimeters axially through body, first end								

NSN 3020-01-161-7709

Bevel Gear - Page 2 of 2



_				•		_			
ĸ	∧lt	$H \cap$	ıa	Circ	בוי	11	am	ΔtΔ	r

38.0 millimeters axially through body, first end

Special Features:

Mtg holes at 75 degrees angle to tooth center line, not totally parallel to bore

Material:

Steel comp 8620

Material Specification:

Sae 8620 opt. 5117h assn standard single material response

Style Designator:

Side face, back hub protruding

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300