NSN 3020-01-163-7330



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-163-7330 **Body Style:** Plain, with lightening holes **Attachment Method:** Mounting hole Pitch Diameter: 3.6458 inches **Teeth Quantity:** 175 **Bore Style:** Tapered first end **Mounting Hole Type And Quantity:** 3 countersunk axially through body, first end and 2 plain axially through body, first end **Outside Diameter: 3.688** inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.125 inches first end Face Width: 0.250 inches **Hub Style Designator:** Plain first end **Hub Diameter:** 2.000 inches first end **Mounting Hole Diameter:** 0.196 inches axially through body, first end and 0.156 inches axially through body, first end **Bolt Hole Circle Diameter:** 1.250 inches axially through body, first end and 1.250 inches axially through body, first end **Special Features:** Counterbore 1st end; 1.625 in. Dia.; 0.187 in. Deep Material: Steel comp 1137 and steel comp 1144 **Material Specification:** Fed standard 66 federal standard all material responses **Style Designator:** Protruding hub Shelf Life: N/a

--

Unit Of Measure:

NSN 3020-01-163-7330

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300