NSN 3020-01-168-2099

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-168-2099 **Attachment Method:** Clamp **Pitch Diameter:** Between 2.0312 inches and 2.0313 inches **Teeth Quantity:** 130 **Bore Style:** Plain both ends **Outside Diameter:** 2.061 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.221 inches first end **Face Width:** 0.104 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** Split first end **Hub Diameter:** 0.312 inches first end **Clamping Surface Length:** 0.220 inches first end **Precision Classification:** Quality number 12 Material: Steel comp 303 hub **Material Specification:** Qq-s-763, cond a federal specification single material response hub **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Qq-p-35 federal specification single treatment response hub **Style Designator:** Protruding hub

Shelf Life: N/a **Unit Of Measure:**

NSN 3020-01-168-2099

Spur Antibacklash Gear - Page 2 of 2



Demi			

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

spec.