NSN 3020-01-179-8072

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-179-8072

| Body Style: |
|---|
| Webbed, solid |
| Spline Quantity: |
| 16 both ends |
| Pitch Diameter: |
| 8.6000 inches |
| Teeth Quantity: |
| 43 |
| Bore Style: |
| Involute spline both ends |
| Spline Pitch Diameter: |
| 2.6667 inches both ends |
| Hardness Rating: |
| 50.0 rockwell c and 63.0 rockwell c |
| Outside Diameter: |
| 9.000 inches |
| Tooth Form: |
| Standard |
| Pressure Angle: |
| 25.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 1.250 inches first end |
| Face Width: |
| 1.750 inches |
| Bore Diameter: |
| 2.855 inches both ends |
| Hub Style Designator: |
| 1 step both ends |
| End Length: |
| 1.151 inches first end |
| End Diameter: |
| 3.284 inches both ends |
| First Step Length: |
| 0.064 inches both ends |
| First Step Diameter: |
| 3.850 inches both ends |
| Material: |
| Steel comp 4620h and steel comp 8620h |
| Material Specification: |
| Fed standard 66 federal standard all material responses |
| Style Designator: |
| Protruding hubs |

NSN 3020-01-179-8072

Spur Gear - Page 2 of 2



| _ | | | | | |
|----|---|---|----|----|----|
| ٠. | n | _ | I+ | 18 | e: |
| | | | | | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300