## NSN 3020-01-181-5667

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-181-5667

Body Style:
Webbed, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.0000 inches
Teeth Quantity:
48
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Thread Size:
0.164 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
2.083 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.580 inches first end
Face Width:
0.448 inches
Bore Diameter:
0.569 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
1.030 inches first end
Mounting Hole Diameter:
0.061 inches transversely through hub, first end
Material:
Steel comp 4130
Material Specification:
Mil-s-6758 military specification single material response
Style Designator:

One protruding hub, one flush hub

## NSN 3020-01-181-5667

Spur Gear - Page 2 of 2



N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Shelf Life:

A27300 Mil-std (military Standard):

Mil-s-6758 spec.