## NSN 3020-01-181-7920



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-181-7920 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.5833 inches **Teeth Quantity:** 70 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.600 inches Nominallength: 0.280 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.225 inches first end **Face Width:** 0.055 inches **Bore Diameter:** 0.090 inches both ends **Hub Style Designator:** 1 groove first end **Hub Diameter:** 0.250 inches first end First Groove Width: 0.029 inches first end First Groove Diameter:

Distance From End To First Groove:

0.232 inches first end

0.134 inches first end

## NSN 3020-01-181-7920

Spur Gear - Page 2 of 2

**Fiig:** A27300



Material:	
Steel comp 303	
Material Specification:	
Qq-s-763, class 303, cond a federal specification single material response	
Surface Treatment:	
Passivate	
Surface Treatment Specification:	
Qq-p-35 federal specification single treatment response	
Style Designator:	
Protruding hub	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	