NSN 3020-01-183-1600

Spur Gear Sector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/3020-01-183-1600



Attachment Method: Mounting hole

Teeth Quantity:

4

Bore Style:

W/counterbore both ends

Pitch Radius:

1.1000 inches

Mounting Hole Type And Quantity:

6 counterbored axially through flange

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

1.250 inches first end

Face Width:

0.625 inches

Bore Diameter:

1.468 inches counterbore, first end

Counterbore Depth:

0.047 inches counterbore, first end

Counterbore Diameter:

1.750 inches counterbore, first end

Hub Style Designator:

2 steps first end

Outside Radius:

1.200 inches

End Length:

0.188 inches first end

End Diameter:

1.850 inches first end

First Step Length:

0.375 inches first end

First Step Diameter:

4.224 inches first end

Arc Length:

1.257 inches

Second Step Length:

0.687 inches first end

Second Step Diameter:

1.875 inches first end

Mounting Hole Diameter:

0.281 inches axially through flange

NSN 3020-01-183-1600

Spur Gear Sector - Page 2 of 2



Bolt Hole Circle Diameter:

2.937 inches axially through flange

Special Features:

Hub 1st step is a mtg flange

Material:

Steel comp 1144

Material Specification:

Aisi 1144 assn standard single material response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300