## NSN 3020-01-206-6229



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-206-6229 **Body Style:** Plain, solid **Spline Quantity:** 4 both ends **Attachment Method:** Mounting hole Pitch Diameter: 0.9370 inches **Teeth Quantity:** 20 **Bore Style:** Straight spline both ends **Mounting Hole Type And Quantity:** 1 plain axially through body, second end **Outside Diameter:** 1.063 inches **Tooth Form:** Standard Flange Diameter: 0.937 inches Pilot Length: 0.359 inches Pressure Angle: 30.0000 degrees Flange Thickness: 0.0625 inches **Face Width:** 0.250 inches **Bore Diameter:** 0.3750 inches both ends Distance Between Outer Body Face And Inner Flange Face: 0.3280 inches **Hub Style Designator:** Plain both ends **Hub Diameter:** 

0.6870 inches both ends **Pilot Diameter:** 0.6875 inches **Mounting Hole Diameter:** 1.281 inches axially through body, first end **Bolt Hole Circle Diameter:** 1.312 inches axially through body, first end

## NSN 3020-01-206-6229

Spur Gear - Page 2 of 2



With four splines located 90 degrees apart with a flange that is located 0.375 from the second end

Material:

Plastic

**Style Designator:** 

Flanged end with pilot

**Specification Data:** 

19139-594137 manufacturers source control

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300