NSN 3020-01-210-6219

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-210-6219

Body Style:
Plain, solid
Attachment Method:
Mounting hole
End Application:
Helicopter; ah-6 (apache)
Pitch Diameter:
1.4444 inches
Teeth Quantity:
104
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
56 transversely through hub, first end
Mounting Hole Thread Size:
0.086 millimeters axially through hub, second end
Mounting Hole Type And Quantity:
1 threaded transversely through hub, first end
Outside Diameter:
1.472 inches
Nominallength:
0.250 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.188 inches first end
Face Width:
0.062 inches
Bore Diameter:
0.125 inches both ends
Hub Diameter:
0.312 inches first end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, t4 federal specification single material response
Surface Treatment:

Anodize

NSN 3020-01-210-6219

Spur Gear - Page 2 of 2



Surface Treatment Spec	ific	ation:
------------------------	------	--------

Mil-a-8625, type 1, class 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.