

View Online at <https://aerobasegroup.com/nsn/3020-01-212-9202>

Counterbore Diameter:

Between 0.954 inches and 0.984 inches

Counterbore Depth:

Between 0.481 inches and 0.486 inches

Groove Depth:

0.015 inches

Groove Width:

0.156 inches

Outside Diameter:

Between 6.562 inches and 6.593 inches

Bore Diameter:

Between 0.5000 inches and 0.5005 inches

Bore Length:

0.190 inches

Material And Location:

Aluminum alloy, alloy 2024, temper t4, aluminum association body and plastic rim and bronze hub

Face Width:

Between 0.955 inches and 0.960 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Included

Groove Quantity:

2

Counterbore Feature:

Included

Bearing Quantity:

1

Counterbore Location:

Bb end

Keying Facility:

Not included

Securing Method:

Press fit bearing

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

U

Bore Feature:

Included

Bearing Type:

Sleeve

Protruding Hub Characteristic:

Plain

Securing Location:

Bb end

Hub End Outside Diameter And Location:

1.247 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.289 inches aa end

Surface Treatment:

Anodize

Style Designator:

Webbed or spoked

Surface Treatment:

Anodized black

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a