NSN 3020-01-214-5787



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-214-5787 **Body Style:** Webbed, offset, solid **Attachment Method:** Mounting hole Pitch Diameter: 7.8750 inches **Teeth Quantity:** 63 **Bore Style:** W/counterbore first end **Mounting Hole Thread Series Designator:** Unf axially through hub, first end **Mounting Hole Thread Size:** 0.312 inches axially through hub, first end **Mounting Hole Type And Quantity:** 8 threaded axially through hub, first end **Outside Diameter:** 8.120 inches **Tooth Form:** Standard **Pressure Angle:** 25.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.990 inches first end **Body Recess Depth:** 0.170 inches second end **Face Width:** 0.290 inches **Bore Diameter:** 4.002 inches both ends **Counterbore Depth:** 0.801 inches first end **Counterbore Diameter:** 4.331 inches first end **Hub Style Designator:** Plain first end **Hub Diameter:** 5.505 inches first end

Bolt Hole Circle Diameter:

4.920 inches axially through hub, first end

Material:

Steel comp 8620h

NSN 3020-01-214-5787

Spur Gear - Page 2 of 2



Stv	e	Des	iar	nato	r:
,	_		. ສ.		

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300