## NSN 3020-01-215-6599



Sprocket Wheel - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-215-6599 **Outside Diameter:** 5.875 inches **Overall Length:** 1.995 inches **Bore Diameter:** 1.754 inches **Bore Length:** 1.875 inches Pitch Diameter: 5.759 inches **Face Width:** 0.545 inches **Design Form:** Webbed **Bore Type:** Straight **Metallic Hardness Rating And Location:** 45.0 rockwell c body and 55.0 rockwell c body **Counterbore Feature:** Not included **Keying Facility:** Not included **Lightening Hole:** Not included **Protruding Hub Characteristic:** Stepped **Groove/step Location:** Aa end **Teeth Row Quantity: Teeth Quantity Per Row: Hardness Rating Test Method:** Rockwell **Teeth Hardness Rating:** Between 45.0 rockwell c and 55.0 rockwell c

Between 45.0 rockwell case
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
1.000 inches

## **NSN 3020-01-215-6599** Sprocket Wheel - Page 2 of 2



Hub End Outside Diameter And Location:
3.250 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
1.480 inches aa end
First Step Face Largest Diameter And Location:
4.562 inches aa end
First Step Length And Location:
1.218 inches aa end
Second Step Length And Location:
0.232 inches aa end
Hub End Outside Diameter And Location:
3.250 inches aa end
Material:
Steel, sae 1141
Material:
Steel comp 1141
Material Specification:
Sae 1141 assn standard single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c