## NSN 3020-01-221-2723

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-221-2723

Body Style:
Webbed, solid
Attachment Method:
Mounting hole
Pitch Diameter:
4.7500 inches
Teeth Quantity:
228
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
4 plain axially through body, first end
Outside Diameter:
4.791 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Body Recess Depth:
0.020 inches first end
Face Width:
0.125 inches
Bore Diameter:
2.500 inches both ends
Precision Classification:
Quality number 10
Mounting Hole Diameter:
0.188 inches axially through body, first end
Bolt Hole Circle Diameter:
3.000 inches axially through body, first end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-250/4, t351 federal specification single material response
Surface Treatment:
Anodize
Surface Treatment Specification:
Mil-a-8625, type 3, class 1 military specification single treatment response
Style Designator:
Hubless, recessed body
Shelf Life:
N/a

## NSN 3020-01-221-2723

Spur Gear - Page 2 of 2



 :4	$\sim$	Measure:
 nit	l IT	MESCITE.

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.