NSN 3020-01-229-2463

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-229-2463

Body Style:
Plain, solid
Pitch Diameter:
2.7916 inches
Teeth Quantity:
134
Bore Style:
Plain both ends
Outside Diameter:
2.831 inches
Nominallength:
0.500 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.343 inches first end
Face Width:
0.125 inches
Bore Diameter:
0.375 inches both ends
Bore Depth:
0.500 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.343 inches first end
Precision Classification:
Quality number 10
End Diameter:
0.500 inches first end
First Step Length:
0.032 inches first end
First Step Diameter:
1.000 inches first end
Material:
Aluminum alloy 2024
Material Specification:
Qq-a-225/6, alloy 2024, t351 federal specification single material response
Surface Treatment:
Anodize

NSN 3020-01-229-2463

Spur Gear - Page 2 of 2



Surface Treatment Sp	pecification:
----------------------	---------------

Mil-a-8625, type 1, cl 1 military specification single treatment response

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.