NSN 3020-01-238-8303

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-238-8303

	Dutside Diameter:
	1.920 inches
	Overall Length:
	0.750 inches
	Bore Length:
	0.750 inches
0	Drilled Hole Diameter:
C	0.193 inches
F	Pitch Diameter:
4	1.777 inches and 4.920 inches
S	Securing Hole Quantity:
5	
F	Face Width:
C	0.110 inches
۵	Design Form:
F	Plain
E	Bore Type:
S	Straight
C	Counterbore Feature:
٢	Not included
ŀ	Hole Location:
C	On sprocket face
ł	Keying Facility:
١	Not included
S	Securing Method:
۵	Drilled hole
L	Lightening Hole:
l	ncluded
F	Protruding Hub Characteristic:
F	Plain
E	Belt/chain/film Size For Which Designed:
F	Roller chain
٦	Feeth Row Quantity:
1	
٦	Feeth Quantity Per Row:
6	50
ŀ	Hardness Rating Test Method:
٢	Not rated
E	Sore Bearing:
٢	Not included
H	Hub External Keyway:
٢	Not included

NSN 3020-01-238-8303

Sprocket Wheel - Page 2 of 2



Hub End Outside Diameter And Location:

2.083 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.640 inches aa end

Special Features:

Ten 0.12 in.Dia holes index to sprocket tooth valley eql sp between 10 0.750 in.Dia. Lightening holes

Material:

Steel, aisi 4140

Material:

Steel comp 4140

Material Specification:

Aisi 4140 assn standard single material response

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

Т353-с