NSN 3020-01-238-8304

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-238-8304

Counterbore Diameter:

0.437 inches

Counterbore Depth:

0.960 inches

Outside Diameter:

4.920 inches

Overall Length:

2.267 inches

Bore Diameter:

0.060 inches

Bore Length:

0.827 inches

Pitch Diameter:

4.778 inches

Face Width:

0.110 inches

Design Form:

Plain

Bore Type:

Straight

Counterbore Feature:

Included

Counterbore Location:

Aa end

Keying Facility:

Not included

Lightening Hole:

Included

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

60

Hardness Rating Test Method:

Not rated

Bore Bearing:

Not included

Tooth Pitch:

0.250 inches

NSN 3020-01-238-8304

Sprocket Wheel - Page 2 of 2



Hub End Outside Diameter And Location: 0.668 inches aa end and 2.083 inches bb end Distance From Outside Flange/rim To Hub End And Location: 1.517 inches aa end and 0.610 inches bb end **Special Features:** 10 lightening holes eql sp 0.750 dia Material: Steel, mil-s-5626, comp 4140 Material: Steel comp 4140 **Material Specification:** Mil-s-5626, comp 4140 military specification single material response Surface Treatment: Phosphate manganese **Style Designator:** Plain Surface Treatment: Phosphate, mil-p-16232, type m, class 2 Shelf Life: Unit Of Measure: **Demilitarization:** Fiig: T353-c

Mil-std (military Standard):

Mil-s-5626 spec.

N/a

No