NSN 3020-01-238-8304

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-238-8304

Counterbore Diameter:
0.437 inches
Counterbore Depth:
0.960 inches
Outside Diameter:
4.920 inches
Overall Length:
2.267 inches
Bore Diameter:
0.060 inches
Bore Length:
0.827 inches
Pitch Diameter:
4.778 inches
Face Width:
0.110 inches
Design Form: Plain
Bore Type:
Straight Counterbore Feature:
Included
Counterbore Location:
Aa end
Keying Facility:
Not included
Lightening Hole:
Included
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
60
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Tooth Pitch:
0.250 inches

NSN 3020-01-238-8304

Sprocket Wheel - Page 2 of 2



Hub End Outside Diameter And Location:

0.668 inches aa end and 2.083 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

1.517 inches aa end and 0.610 inches bb end

Special Features:

10 lightening holes eql sp 0.750 dia

Material:

Steel, mil-s-5626, comp 4140

Material:

Steel comp 4140

Material Specification:

Mil-s-5626, comp 4140 military specification single material response

Surface Treatment:

Phosphate manganese

Style Designator:

Plain

Surface Treatment:

Phosphate, mil-p-16232, type m, class 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c

Mil-std (military Standard):

Mil-s-5626 spec.