NSN 3020-01-239-4642

Groove Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-239-4642

| Groove Depth: |
|--|
| Between 0.047 inches and 0.050 inches |
| Groove Width: |
| Between 0.100 inches and 0.105 inches |
| Outside Diameter: |
| 1.250 inches |
| Overall Length: |
| 0.062 inches |
| Bore Diameter: |
| Between 0.250 inches and 0.251 inches |
| Bore Length: |
| 0.620 inches |
| End Application: |
| Line printer |
| Groove Radius: |
| 0.010 inches |
| Material And Location: |
| Aluminum alloy, qq-a-225/6, alloy 2024, t4 |
| Face Width: |
| 0.037 inches |
| Design Form: |
| Plain |
| Bore Type: |
| Straight |
| Bearings: |
| Not included |
| Groove Quantity: |
| 2 |
| Counterbore Feature: |
| Not included |
| Keying Facility: |
| Not included |
| Split Hub Feature: |
| Not included |
| Lightening Hole: |
| Not included |
| Integral Cooling Vane: |
| Not included |
| Groove Shape: |
| U |
| Bore Feature: |

Included

NSN 3020-01-239-4642

Groove Pulley - Page 2 of 2

Fiig: T353-a



| Hub End Outside Diameter And Location: |
|---|
| 0.075 inches aa end |
| Distance From Outside Flange/rim To Hub End And Location: |
| 0.025 inches aa end |
| Surface Treatment: |
| Chemical |
| Style Designator: |
| Plain |
| Surface Treatment: |
| Chemical |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |