# NSN 3020-01-246-5238

Gear Cluster - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/3020-01-246-5238

### **Design Type:**

Spur first gear

**Outside Diameter:** 

4.070 inches first gear

## Hub Length:

0.250 inches between first and second gear

#### **Bore Diameter:**

1.405 inches second end

Bore Depth:

2.250 inches second end

#### Hub Style Designator:

Plain between second and third gear

#### Hub Diameter:

2.250 inches between second and third gear

#### **Special Features:**

Both bore ends countersunk; 1st end 2.057 in. Diameter by 43.0 deg; second end 1.957 in. Diameter by 43.0 deg; gear pitch dia. 3.191 nom in.; gear face width 0.742 nom in.; gear pressure angle 1st end 20 deg, 2nd end 18.4894 deg; left gear; gear tooth 19 and 22 degrees angle and 2nd helix angle 23.9333 deg; gear pitch 0.265 nom in.

Material:

Steel

Material Specification:

66, aisi/sae 8620h federal standard single material response

## Surface Treatment:

Silver

### **Supplementary Features:**

Idler gear cluster appl

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A270a0