

View Online at <https://aerobasegroup.com/nsn/3020-01-246-6633>

Groove Depth:

0.081 inches

Groove Width:

0.092 inches

Outside Diameter:

Between 4.749 inches and 4.751 inches

Overall Length:

1.188 inches

Keyway Width:

Between 0.188 inches and 0.190 inches

Thread Size:

1/4-28

Bore Diameter:

Between 0.750 inches and 0.751 inches

Bore Length:

0.813 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.457 inches

V Groove Angle In Deg:

40.0

Pitch Diameter:

Between 4.699 inches and 4.701 inches

Securing Hole Quantity:

2

Material And Location:

Aluminum alloy, qq-a-225/6, alloy 2024, t351

Face Width:

0.688 inches

Design Form:

Plain

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

5

Counterbore Feature:

Not included

Hole Location:

0.281 in. From hub end

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Plain

Securing Location:

Bb end

Hub End Outside Diameter And Location:

1.500 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.375 inches aa end and 0.500 inches bb end

Quantity:

1

Surface Treatment:

Anodize

Style Designator:

Webbed or spoked

Surface Treatment:

Anodized

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a