

View Online at <https://aerobasegroup.com/nsn/3020-01-246-6633>

**Groove Depth:**

0.081 inches

**Groove Width:**

0.092 inches

**Outside Diameter:**

Between 4.749 inches and 4.751 inches

**Overall Length:**

1.188 inches

**Keyway Width:**

Between 0.188 inches and 0.190 inches

**Thread Size:**

1/4-28

**Bore Diameter:**

Between 0.750 inches and 0.751 inches

**Bore Length:**

0.813 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

0.457 inches

**V Groove Angle In Deg:**

40.0

**Pitch Diameter:**

Between 4.699 inches and 4.701 inches

**Securing Hole Quantity:**

2

**Material And Location:**

Aluminum alloy, qq-a-225/6, alloy 2024, t351

**Face Width:**

0.688 inches

**Design Form:**

Plain

**Bore Type:**

Straight

**Bearings:**

Not included

**Groove Quantity:**

5

**Counterbore Feature:**

Not included

**Hole Location:**

0.281 in. From hub end

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Bore Feature:**

Included

**Protruding Hub Characteristic:**

Plain

**Securing Location:**

Bb end

**Hub End Outside Diameter And Location:**

1.500 inches aa end

**Distance From Outside Flange/rim To Hub End And Location:**

0.375 inches aa end and 0.500 inches bb end

**Quantity:**

1

**Surface Treatment:**

Anodize

**Style Designator:**

Webbed or spoked

**Surface Treatment:**

Anodized

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-a