NSN 3020-01-263-4091

Sprocket Wheel - Page 1 of 2

Between 0.526 inches and 0.536 inches

Counterbore Diameter:



View Online at https://aerobasegroup.com/nsn/3020-01-263-4091

Counterbore Depth:
Between 0.262 inches and 0.272 inches
Outside Diameter:
1.207 inches
Overall Length:
Between 0.777 inches and 0.787 inches
Thread Size:
N0.10/0.190/-32
Bore Diameter:
Between 0.320 inches and 0.330 inches
Bore Length:
Between 0.777 inches and 0.782 inches
Pitch Diameter:
0.955 inches
Securing Hole Quantity:
1
Furnished Items And Quantity:
One helical coil insert
Face Width:
Between 0.132 inches and 0.138 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Included
Counterbore Location:
Bb end
Hole Location:
Centered 0.313 inch from end of hub
Keying Facility:
Not included
Securing Method:
Threaded hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end

NSN 3020-01-263-4091 Sprocket Wheel - Page 2 of 2



Belt/chain/film Size For Which Designed:
Track
Teeth Row Quantity:
1
Teeth Quantity Per Row:
3
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.500 inches
Hub End Outside Diameter And Location:
0.955 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.552 inches aa end and 0.095 inches bb end
Material:
Aluminum alloy
Material:
Aluminum alloy
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
Г353-с