NSN 3020-01-273-1965

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-273-1965

Body Style:
Plain, solid
Attachment Method:
Mounting hole
End Application:
F-16 c/d common
Pitch Diameter:
1.2500 inches
Teeth Quantity:
60
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc axially through hub, second end
Mounting Hole Thready Qty Per Inch (tpi):
56 axially through hub, second end
Mounting Hole Thread Size:
0.968 inches axially through hub, second end
Mounting Hole Type And Quantity:
2 threaded axially through hub, second end
Outside Diameter:
1.624 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.062 inches second end
Face Width:
0.118 inches
Bore Diameter:
1.210 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
1.520 inches second end
Material:
Steel
Material Specification:
Mil-s-6709 military specification single material response
Surface Treatment:

Tin

NSN 3020-01-273-1965

Spur Gear - Page 2 of 2



Surface Treatment Specification:
Mil-t-10727 military standard single treatment response
Style Designator:
Protruding hubs
Shelf Life:
N/a

Demilitarization:

Unit Of Measure:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-6709 spec.