

View Online at <https://aerobasegroup.com/nsn/3020-01-273-4784>

Outside Diameter:

1.620 inches

Overall Length:

1.010 inches

Outside Diameter:

1.620 inches

Drilled Hole Diameter:

0.159 inches

Flange Quantity:

2

Securing Hole Quantity:

3

Face Width:

0.660 inches

Design Form:

Webbed

Hole Location:

2nd end, 0.850 in. Lg

Securing Method:

Drilled hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Rim Type:

Solid

Flange Location:

Inside and outside

Bore Feature:

Not included

Protruding Hub Characteristic:

Stepped

Securing Location:

Bb end

Hub End Outside Diameter And Location:

1.313 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.300 inches aa end

First Step Face Largest Diameter And Location:

1.313 inches aa end

First Step Length And Location:

0.050 inches aa end

Second Step Length And Location:

0.250 inches aa end

Hub End Outside Diameter And Location:

1.200 inches aa end

Distance From Outside Flange/rim To Hub End And Location:

0.300 inches aa end

Special Features:

60 degrees wedge cut from outer edge to center, 0.190 r at point; 2 tap drilled holes in wedge side 0.330 in. Deep, csk 82 degx0.157 in. Dia, 0.138-32 unc 2bx0.220 min. Full thread

Surface Treatment:

Anodize

Style Designator:

Plain

Surface Treatment:

Anodized

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a