NSN 3020-01-279-0282

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-279-0282

Body Style: Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.2500 inches **Teeth Quantity:** 80 **Bore Style:** Plain both ends **Mounting Hole Type And Quantity:** 2 plain axially through body, second end **Outside Diameter:** 1.281 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.218 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 12 **Mounting Hole Diameter:** 0.109 inches axially through body, second end **Bolt Hole Circle Diameter:** 0.375 inches axially through body, second end Material: Steel comp 303 **Material Specification:** Qq-s-764, cond a federal specification single material response **Surface Treatment:**

Passivate

Surface Treatment Specification:

Qq-p-35 federal specification single treatment response

NSN 3020-01-279-0282

Spur Gear - Page 2 of 2



| • | _ | | | |
|-------|-----|-----|-----|------|
| Style | 1)6 | SIU | na | t∩r∙ |
| Otylo | | JIG | ııu | w. |

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300