## NSN 3020-01-282-5298

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-282-5298

| Body Style:  |
|--|
| Webbed, solid                                      |
| Spline Quantity:                                   |
| 12 both ends                                       |
| End Application:                                   |
| F-16 acft  |
| Pitch Diameter:                                    |
| 2.7273 inches                                      |
| Teeth Quantity:                                    |
| 30   |
| Bore Style:  |
| Involute spline both ends                          |
| Spline Pitch Diameter:                             |
| 0.6000 inches both ends                            |
| Hardness Rating:                                   |
| 48.0 rockwell c and 54.0 rockwell c                |
| Outside Diameter:                                  |
| 2.860 inches                                       |
| Nominallength:                                     |
| 1.500 inches                                       |
| Tooth Form:  |
| Standard   |
| Pressure Angle:                                    |
| 20.0000 degrees                                    |
| Distance Between Body Face And Protruding Hub End: |
| 0.800 inches both ends                             |
| Face Width:  |
| 0.050 inches                                       |
| Bore Diameter:                                     |
| 0.624 inches both ends                             |
| Hub Style Designator:                              |
| Plain both ends                                    |
| Hub Diameter:                                      |
| 0.875 inches both ends                             |
| Material:  |
| Steel comp 4330                                    |
| Material Specification:                            |
| Ems96242 assn standard single material response    |
| Style Designator:                                  |
| Protruding hubs                                    |
| Shelf Life:  |
| N/a  |

## NSN 3020-01-282-5298

Spur Gear - Page 2 of 2



|   |    | • • |             |          |  |
|---|----|-----|-------------|----------|--|
| ш | ın | 10  | <i>(</i> )+ | Measure: |  |
|   |    |     |             |          |  |

--

Demilitarization:

No

Fiig:

A27300