NSN 3020-01-282-5299

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-282-5299

Body Style:
Webbed, solid
Spline Quantity:
12 both ends
End Application:
F-16 acft
Pitch Diameter:
1.5294 inches
Teeth Quantity:
39
Bore Style:
Partial first end
Spline Pitch Diameter:
0.6000 inches both ends
Hardness Rating:
90.0 rockwell superficial 15-n
Outside Diameter:
1.597 inches
Tooth Form:
Standard
Pressure Angle:
26.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.435 inches first end
Face Width:
0.430 inches
Bore Diameter:
0.725 inches first end
Bore Depth:
1.075 inches first end
Counterbore Depth:
0.490 inches first end
Counterbore Diameter:
0.725 inches first end
Hub Style Designator:
Plain both ends
Hub Diameter:
0.874 inches both ends
Special Features:
Internal involute spline data: pressure angle 30.0000; pitch 20/40; maj. Dia. 0.695; min. Dia. 0.555
Material:
Steel comp e9310

NSN 3020-01-282-5299

Spur Gear - Page 2 of 2



Material Specification:

Ams6265 assn standard single material response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300