NSN 3020-01-285-0144

Worm Wheel Gear Sector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-285-0144 **End Application:** Mt tel m145 Face Type: Concave Pitch Radius: 0.8020 inches **Tooth Direction:** Right **Throat Radius:** 0.210 inches **Mating Thread Lead Quantity: Pressure Angle:** 14.5000 degrees **Helix Angle:** 2.7500 degrees Distance Between Body Face And Protruding Hub End: 5.671 inches first end **Face Width:** 0.470 inches **Hub Style Designator:** 1 step first end **Outside Radius:** 0.8550 inches **End Length:** 4.281 inches first end **Precision Classification:** Quality number 9 **End Diameter:** 0.4373 inches first end First Step Length: 1.390 inches first end First Step Diameter: 0.4998 inches first end Arc Length: 1.9398 inches **Special Features:** 72 teeth in 360 deg; 0.138-32unc-2b x 0.437 deep holes through teeth 66deg from c/l

Material:

Steel comp 303

Material Specification:

Astm a582 ty uns s30300 cd a assn standard single material response

NSN 3020-01-285-0144

Worm Wheel Gear Sector - Page 2 of 2



Surface Treatment:
Oxide film
Surface Treatment Specification:
Mil-std-171 fn 5.4.1 military standard single treatment response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

Mil-std (military Standard): Mil-std-171 spec.

A27300