NSN 3020-01-286-4532

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-286-4532 **Body Style:** Webbed, offset, solid **Spline Quantity:** 6 both ends Pitch Diameter: 2.0625 inches **Teeth Quantity:** 99 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 0.3750 inches both ends **Backlash Designation:** Grade c **Outside Diameter:** 2.104 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.467 inches first end Face Width: 0.125 inches **Bore Diameter:** 0.438 inches both ends **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.953 inches second end **Precision Classification:** Quality number 10 Material: Steel comp xm-12 **Material Specification:** Ams5659 assn standard single material response **Surface Treatment:** Lubricant dry film teeth **Surface Treatment Specification:** Mil-I08937 military specification single treatment response spline **Style Designator:** Protruding hubs Shelf Life:

N/a

NSN 3020-01-286-4532

Spur Gear - Page 2 of 2



ι	Jn	it	Of	Measure:	•

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-I-8937 spec.