NSN 3020-01-294-9922

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-294-9922

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.4656 inches
Teeth Quantity:
21
Bore Style:
Partial first end
Mounting Hole Type And Quantity:
2 plain transversely through hub, first end
Outside Diameter:
0.5072 inches
Teeth Type:
Single helix
Tooth Direction:
Right
Pressure Angle:
20.0000 degrees
Helix Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.500 inches first end
Face Width:
0.763 inches
Bore Diameter:
0.257 inches first end
Bore Depth:
1.000 inches first end
Hub Style Designator:
1 groove both ends
Hub Diameter:
0.3748 inches both ends
First Groove Width:
0.060 inches first end
First Groove Diameter:
0.2548 inches second end
Distance From End To First Groove:
0.440 inches first end
Mounting Hole Diameter:
0.0935 inches transversely through hub, first end

NSN 3020-01-294-9922

Helical Gear - Page 2 of 2



Special	Features:
opeoidi	routuroo.

Mounting holes 180 degrees apart

Material:

Steel comp 416

Material Specification:

Astm a582 assn standard single material response

Surface Treatment:

Passivate

Surface Treatment Specification:

Mil-s-5002 military specification single treatment response

Style Designator:

Protruding hubs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-s-5002 spec.