## NSN 3020-01-298-2678

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-298-2678

Body Style:
Webbed, solid
Spline Quantity:
30 both ends
End Application:
F-15 a/c acft
Pitch Diameter:
0.7188 inches
Teeth Quantity:
23
Bore Style:
Involute spline both ends
Spline Pitch Diameter:
2.5000 inches both ends
Hardness Rating:
30.0 rockwell c and 35.0 rockwell c
Outside Diameter:
2.652 inches
Nominallength:
0.830 inches
Tooth Form:
Standard
Pressure Angle:
30.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.260 inches first end
Face Width:
0.270 inches
Bore Diameter:
2.298 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
1.000 inches first end
Material:
Steel comp 4130 or steel comp 4140
Material Specification:
Astm-a322 assn standard 1st material response or astm-a331 assn standard 2nd material response
Surface Treatment:
Phosphate
Surface Treatment Specification:

Mil-std-171 military specification single treatment response

## NSN 3020-01-298-2678

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
<b>Demilitarization:</b> No

Mil-std (military Standard):

Mil-std-171 spec.