NSN 3020-01-298-2680

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-298-2680

Body Style:
Plain, solid
End Application:
F-15 a/c acft
Pitch Diameter:
2.8571 inches
Teeth Quantity:
40
Bore Style:
Plain first end
Hardness Rating:
30.0 rockwell c and 35.0 rockwell c
Outside Diameter:
2.995 inches
Nominallength:
0.900 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.560 inches first end
Body Recess Depth:
0.140 inches second end
Face Width:
0.340 inches
Bore Diameter:
0.501 inches first end
Hub Style Designator:
Plain first end
Hub Diameter:
0.740 inches first end
Precision Classification:
Quality number 8
Material:
Steel comp 4130 or steel comp 4140
Material Specification:
Astm-a322 assn standard 1st material response or astm-a331 assn standard 2nd material response
Surface Treatment:
Phosphate
Surface Treatment Specification:

Mil-std-171 military specification single treatment response

NSN 3020-01-298-2680

Spur Gear - Page 2 of 2



Sty	le	De	siq	ına	ato	r:
,	_			,		

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.