NSN 3020-01-298-2682

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-298-2682

Body Style:
Webbed, with lightening holes
End Application:
F-15 a/c acft
Pitch Diameter:
2.8571 inches
Teeth Quantity:
40
Bore Style:
Plain both ends
Hardness Rating:
30.0 rockwell c and 35.0 rockwell c
Outside Diameter:
2.995 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.030 inches second end
Face Width:
0.300 inches
Bore Diameter:
0.687 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
0.930 inches both ends
Precision Classification:
Quality number 8
Special Features:
6 lightening holes 0.500 in. Dia
Material:
Steel comp 4130 or steel comp 4140
Material Specification:
Astm-a322 assn standard 1st material response or astm-a331 assn standard 2nd material response
Surface Treatment:
Phosphate
Surface Treatment Specification:
Mil-std-171 military specification single treatment response
Style Designator:

Protruding hubs

NSN 3020-01-298-2682

Spur Gear - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.