NSN 3020-01-298-6781

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-298-6781

Body Style:

Webbed, with lightening holes

Pitch Diameter:

3.6000 inches

Teeth Quantity:

72

Bore Style:

W/counterbore both ends

Hardness Rating:

30.0 rockwell c and 35.0 rockwell c

Outside Diameter:

3.686 inches

Nominallength:

0.507 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.197 inches second end

Body Recess Depth:

0.070 inches first end

Face Width:

0.310 inches

Bore Diameter:

0.687 inches both ends

Counterbore Depth:

0.050 inches second end

Counterbore Diameter:

0.737 inches second end

Hub Style Designator:

Plain second end

Hub Diameter:

0.930 inches second end

Precision Classification:

Quality number 8

Special Features:

5 lightening holes 0.750 in.

Material:

Steel comp 4130 or steel comp 4140

Material Specification:

Astm-a322 assn standard 1st material response or astm-a331 assn standard 2nd material response

NSN 3020-01-298-6781

Spur Gear - Page 2 of 2



Surface Treatment:

Phosphate

Surface Treatment Specification:

Mil-std-171 military specification single treatment response

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.