## NSN 3020-01-318-8499

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-318-8499

Body Style:
Plain, solid
Spline Quantity:
6 first end
Pitch Diameter:
3.0000 inches
Teeth Quantity:
30
Bore Style:
W/stepped counterbore second end
Hardness Rating:
235.0 brinell standard and 311.0 brinell standard
Outside Diameter:
3.141 inches
Nominallength:
5.306 inches
Teeth Type:
Straight
Pressure Angle:
14.5000 degrees
Pitch Angle:
45.0000 degrees
Distance Between Body Face And Protruding Hub End:
3.875 inches second end
3.875 inches second end Body Recess Depth:
<ul><li>3.875 inches second end</li><li>Body Recess Depth:</li><li>0.243 inches first end</li></ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> </ul>
3.875 inches second end Body Recess Depth: 0.243 inches first end Face Width: 0.625 inches Bore Diameter:
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> </ul>
3.875 inches second end Body Recess Depth: 0.243 inches first end Face Width: 0.625 inches Bore Diameter: 1.000 inches both ends Counterbore Depth:
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> <li>Threaded second end</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> <li>Threaded second end</li> <li>Special Features:</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> <li>Threaded second end</li> <li>Special Features:</li> <li>3/32 by 5/16 in.Keyway on hub</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> <li>Threaded second end</li> <li>Special Features:</li> <li>3/32 by 5/16 in.Keyway on hub</li> <li>Material:</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> <li>Threaded second end</li> <li>Special Features:</li> <li>3/32 by 5/16 in.Keyway on hub</li> <li>Material:</li> <li>Steel</li> </ul>
<ul> <li>3.875 inches second end</li> <li>Body Recess Depth:</li> <li>0.243 inches first end</li> <li>Face Width:</li> <li>0.625 inches</li> <li>Bore Diameter:</li> <li>1.000 inches both ends</li> <li>Counterbore Depth:</li> <li>3.062 inches second counterbore, second end</li> <li>Counterbore Diameter:</li> <li>1.312 inches first counterbore, second end</li> <li>Hub Style Designator:</li> <li>Threaded second end</li> <li>Special Features:</li> <li>3/32 by 5/16 in.Keyway on hub</li> <li>Material:</li> </ul>

## NSN 3020-01-318-8499

Bevel Gear - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

