

View Online at <https://aerobasegroup.com/nsn/3020-01-322-1002>

**Body Style:**

Webbed, with lightening holes

**Pitch Diameter:**

6.9167 inches

**Teeth Quantity:**

83

**Bore Style:**

10a w/ keyway both ends

**Hardness Rating:**

55.0 rockwell c and 58.0 rockwell c

**Outside Diameter:**

7.062 inches

**Pressure Angle:**

20.0000 degrees

**Distance Between Body Face And Protruding Hub End:**

0.625 inches first end

**Face Width:**

0.500 inches

**Bore Diameter:**

1.625 inches both ends

**Keyway Width:**

0.375 inches both ends

**Distance From Bore Center To Keyway Bottom:**

1.312 inches both ends

**Hub Style Designator:**

Plain first end

**Hub Diameter:**

2.620 inches first end

**Material:**

Steel comp 8620

**Surface Treatment:**

Phosphate

**Surface Treatment Specification:**

Mil-p-16232, type m, class 2 military specification all treatment responses

**Style Designator:**

One protruding hub, one flush hub

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A27300

**Mil-std (military Standard):**

Mil-p-16232 spec.