NSN 3020-01-336-8304

Groove Pulley - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-336-8304

| Groove Depth: |
|---|
| 17.0 millimeters |
| Groove Width: |
| 12.7 millimeters |
| Outside Diameter: |
| 216.35 millimeters |
| Overall Length: |
| 138.5 millimeters |
| Thread Size: |
| 3/8-16 |
| Bore Diameter: |
| 124.0 millimeters |
| Bore Length: |
| 109.5 millimeters |
| V Groove Angle In Deg: |
| 36.0 |
| Securing Hole Quantity: |
| 6 |
| Material And Location: |
| Iron, gray |
| Face Width: |
| 35.0 millimeters |
| Design Form: |
| Plain |
| Bore Type: |
| Straight |
| Bearings: |
| Not included |
| |
| Groove Quantity: |
| Groove Quantity: 2 |
| _ |
| 2 |
| 2 Counterbore Feature: |
| 2 Counterbore Feature: Not included |
| 2 Counterbore Feature: Not included Keying Facility: |
| 2 Counterbore Feature: Not included Keying Facility: Not included |
| Counterbore Feature: Not included Keying Facility: Not included Securing Method: |
| Counterbore Feature: Not included Keying Facility: Not included Securing Method: Threaded hole |
| Counterbore Feature: Not included Keying Facility: Not included Securing Method: Threaded hole Split Hub Feature: |
| Counterbore Feature: Not included Keying Facility: Not included Securing Method: Threaded hole Split Hub Feature: Not included |
| Counterbore Feature: Not included Keying Facility: Not included Securing Method: Threaded hole Split Hub Feature: Not included Lightening Hole: |

NSN 3020-01-336-8304 Groove Pulley - Page 2 of 2



| Groove Shape: |
|---|
| V |
| Bore Feature: |
| Included |
| Protruding Hub Characteristic: |
| Stepped |
| Securing Location: |
| Pulley surface |
| Hub End Outside Diameter And Location: |
| 144.0 millimeters aa end |
| Distance From Outside Flange/rim To Hub End And Location: |
| 103.5 millimeters aa end |
| Style Designator: |
| Plain |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| T353-2 |