## NSN 3020-01-337-4432

Sprocket Wheel - Page 1 of 2

**Outside Diameter:** 



View Online at https://aerobasegroup.com/nsn/3020-01-337-4432

0.438 inches		
Overall Length:		
0.562 inches		
Bore Diameter:		
0.250 inches		
Bore Length:		
0.562 inches		
Pitch Diameter:		
0.4580 inches		
Face Width:		
0.285 inches		
Design Form:		
Plain		
Bore Type:		
Straight		
Counterbore Feature:		
Not included		
Keying Facility:		
Not included		
Securing Method:		
Setscrew		
Lightening Hole:		
Not included		
Protruding Hub Characteristic:		
Plain		
Securing Location:		
Aa end		
Teeth Row Quantity:		
1		
Teeth Quantity Per Row:		
18		
Bore Bearing:		
Not included		
Hub External Keyway:		
Not included		
Hub End Outside Diameter And Location:		
0.635 inches both ends		
Distance From Outside Flange/rim To Hub End And Location:		
0.234 inches aa end and 0.043 inches bb end		
Material:		
Aluminum alloy, qq-a-225/6, alloy 2024, t4 or aluminum alloy, qq-a-225/8, alloy 6061, t6		

## NSN 3020-01-337-4432

Sprocket Wheel - Page 2 of 2



Material:	Material	l:
-----------	----------	----

Aluminum alloy 2024 or aluminum alloy 6061

## **Material Specification:**

Qq-a-225/6, alloy 2024, t4 federal specification 1st material response and qq-a-225/8, alloy 6061, t6 federal specification 2nd material response

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

T353-c