NSN 3020-01-337-7414



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-01-337-7414 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.4583 inches **Teeth Quantity:** 70 **Bore Style:** Plain both ends Hardness Rating: 32.0 rockwell c and 38.0 rockwell c **Mounting Hole Type And Quantity:** 1 plain axially through body, first end **Outside Diameter:** 1.489 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees Face Width: 0.300 inches **Bore Diameter:** 0.377 inches both ends **Mounting Hole Diameter:** 0.127 inches axially through body, first end Material: Steel comp 4140 or steel comp 4340 **Material Specification:** Astm a322 assn standard all material responses or astm a331 assn standard all material responses **Surface Treatment:** Phosphate **Surface Treatment Specification:** Mil-std-171 finish 5.3.1.2 or 5.3.2.2 military specification single treatment response **Style Designator:** Hubless Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 3020-01-337-7414

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.