NSN 3020-01-345-5795

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-345-5795

Body Style:					
Plain, solid					
Pitch Diameter:					
0.6422 inches					
Teeth Quantity:					
40					
Bore Style:					
Plain both ends					
Hardness Rating:					
26.0 rockwell c and 34.0 rockwell c					
Outside Diameter:					
0.673 inches					
Pressure Angle:					
20.0000 degrees					
Distance Between Body Face And Protruding Hub End:					
0.315 inches second end					
Face Width:					
0.156 inches					
Bore Diameter:					
0.187 inches both ends					
Hub Style Designator:					
1 step second end					
End Length:					
0.013 inches second end					
Precision Classification:					
Accuracy grade 12					
End Diameter:					
0.234 inches second end					
First Step Length:					
0.302 inches second end					
First Step Diameter:					
0.375 inches second end					
Material:					
Steel comp 416					
Surface Treatment:					
Passivate					
Surface Treatment Specification:					
Mil-f-14072 fnsh e300 (fs10016) military specification single treatment response					
Style Designator:					
Protruding hub					
Shelf Life:					
N/a					

NSN 3020-01-345-5795

Spur Gear - Page 2 of 2



	ι	Jn	it	Of	Measure:
--	---	----	----	----	----------

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.