NSN 3020-01-346-4205

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-346-4205

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
4.7500 inches
Teeth Quantity:
304
Bore Style:
W/counterbore counterbore, first end
Mounting Hole Type And Quantity:
8 counterbored axially through body, second end
Outside Diameter:
4.781 inches
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.216 inches first end
Face Width:
0.190 inches
Bore Diameter:
4.000 inches both ends
Counterbore Depth:
0.093 inches counterbore, first end
Counterbore Diameter:
4.156 inches counterbore, first end
Hub Style Designator:
Plain first end
Hub Diameter:
4.624 inches first end
Mounting Hole Diameter:
0.187 inches axially through body, second end
Bolt Hole Circle Diameter:
4.098 inches axially through body, second end
Material:
Steel comp 303
Material Specification:
Astm a582, cond a assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil f 14072 fach 2200 military aposition aingle treatment reason

Mil-f-14072, fnsh e300 military specification single treatment response

NSN 3020-01-346-4205

Spur Gear - Page 2 of 2

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.

