NSN 3020-01-353-0777

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-353-0777 **Outside Diameter:** 8.924 inches **Overall Length:** 2.000 inches **Keyway Width:** 0.625 inches **Bore Diameter:** 2.438 inches **Bore Length:** 2.000 inches Distance From Center Of Bore To Bottom Of Keyway: 0.312 inches **Face Width:** 0.924 inches Guide: Not included **Design Form:** Plain **Bore Type:** Straight **Metallic Hardness Rating And Location:** 40.0 rockwell c body and 55.0 rockwell c body **Counterbore Feature:** Not included **Keying Facility:** Included **Keying Facility Type:** Keyway **Lightening Hole:** Not included **Protruding Hub Characteristic:** Belt/chain/film Size For Which Designed: Positive drive belt **Teeth Row Quantity: Teeth Quantity Per Row:** 17 **Hardness Rating Test Method:** Rockwell

-

Teeth Hardness Rating:

Between 40.0 rockwell c and 55.0 rockwell c

NSN 3020-01-353-0777 Sprocket Wheel - Page 2 of 2



Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
1.500 inches
Hub End Outside Diameter And Location:
5.250 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
1.076 inches aa end
Material:
Steel, carbon
Material:
Steel
Quantity:
1
Surface Treatment:
Nickel
Style Designator:
Plain
Surface Treatment:
Nickel plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c