NSN 3020-01-383-5130

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-01-383-5130

Outside Diameter:
3.496 inches
Overall Length:
0.484 inches
Bore Diameter:
0.250 inches
Bore Length:
0.484 inches
Pitch Diameter:
3.275 inches
Face Width:
0.426 inches
Design Form:
Webbed
Bore Type:
Straight
Groove Quantity:
1
Counterbore Feature:
Not included
Lubrication Mode:
No visible means
Groove Position:
In center
Guide Type:
Groove
Keying Facility:
Not included
Lightening Hole:
Included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Ladder chain
Teeth Row Quantity:
2
Center To Center Distance Between Teeth Rows:
0.413 inches
Teeth Quantity Per Row:
25
Hardness Rating Test Method:

Not rated

NSN 3020-01-383-5130 Sprocket Wheel - Page 2 of 2



Bore Bearing:
ncluded
Hub External Keyway:
Not included
Tooth Pitch:
0.131 inches
Hub End Outside Diameter And Location:
0.390 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.070 inches both ends
Special Features:
Matal per aisi 1215 or 12l14 steel per astm a 108, alt matl aisi 1144 steel per astm a 108, finish solid film lube per mil-l-46010 type ii
Material:
Steel
Material:
Steel
Style Designator:
Webbed or spoked
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
Г353-с