## NSN 3020-01-414-7851

Shotpeen mask, aircraft shop maintenance

Spur Gear - Page 1 of 2

**Body Style:** 

Mounting hole

End Application:

Pitch Diameter: 1.2500 inches

Webbed, offset, solid **Attachment Method:** 



View Online at https://aerobasegroup.com/nsn/3020-01-414-7851

Teeth Quantity:
120
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
5 plain axially through body, second end
Outside Diameter:
1.270 inches
Tooth Form:
Stub
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.103 inches second end
Body Recess Depth:
0.064 inches first end
Face Width:
0.085 inches
Bore Diameter:
0.625 inches both ends
Hub Style Designator:
Plain second end
Hub Diameter:
1.125 inches second end
Mounting Hole Diameter:
0.129 inches axially through body, second end
Bolt Hole Circle Diameter:
0.812 inches axially through body, second end
Special Features:
Recess second end 0.188 in. Lg., 1.030 in. Dia
Material:
Stainless steel
Material Specification:
Ams5659 assn standard single material response

## NSN 3020-01-414-7851

Spur Gear - Page 2 of 2

Mil-std (military Standard):

Mil-s-5002 spec.



Surface Treatment:	
Passivate	
Surface Treatment Specification:	
Mil-s-5002 military specification single treatment response	
Style Designator:	
Protruding hub, recessed body	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A27300	